

Tytuł: Sepsa i wstrząs septyczny u dzieci w świetle wytycznych „Kampanii na Rzecz Przeżycia Sepsy” / Sepsis and septic shock in children in the light of the “Survival Sepsis Campaign” guidelines

Słowa kluczowe: KATECHOLAMINY RESUSCYTACJA PŁYNOWA SEPSA WSTRZĄS DZIECKO

Keywords: CATECHOLAMINES FLUID RESUSCITATION SEPSIS SHOCK CHILD

Autorzy:

Andrzej Piotrowski - Klinika Anestezjologii i Intensywnej Terapii, Instytut „Pomnik – Centrum Zdrowia Dziecka”, Warszawa

Streszczenie:

Artykuł stanowi zwięzłe podsumowanie objawów i aktualnych zasad leczenia sepsy u dzieci.

Zasady te opierają się na wytycznych „Kampanii na Rzecz

Przeżycia Sepsy” i obejmują: tlenoterapię, resuscytację płynową, podaż antybiotyków, wlewy katecholamin, usunięcie ogniska infekcji i leczenie wspomagające.

O sukcesie terapii w dużym stopniu decyduje czas od zachorowania do postawienia rozpoznania i szybkość wyprowadzenia pacjenta ze wstrząsu.

Abstract:

This article is a brief summary of typical symptoms and current guidelines of treatment of sepsis in childhood. Guidelines are based on the recommendations

by the “Survival Sepsis Campaign” and contain: early recognition, oxygen administration, fluid resuscitation, and antibiotic administration, the use of

catecholamines, source control and adjunctive therapy. The success of treatment depends strongly on the time from first symptoms to recognition, and

the speed and appropriateness of therapy in the initial hours after sepsis develops.